

CERTIFICATE OF COMPLIANCE

Certificate Number 20190225-E164155
Report Reference E164155-20170131
Issue Date 2019-FEBRUARY-25

Issued to: WERMA SIGNALTECHNIK GMBH + CO KG
DUERBHEIMER STR 15
78604 RIETHEIM-WEILHEIM GERMANY

**This certificate confirms that
representative samples of**

POWER CIRCUIT AND MOTOR-MOUNTED APPARATUS
See Addendum page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL508 and CSA C22.2 No. 14-18, Industrial Control
Equipment

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190225-E164155
Report Reference E164155-20170131
Issue Date 2019-FEBRUARY-25

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models/Product

Signal light elements TwinLIGHT, Cat. Nos. 647 X10 75 where X can be 1, 2, 3 or 5 and 647 X30 75 where X can be 1, 2, 3, 4 or 5.

Signal light elements TwinFLASH, Cat. Nos. 647 X20 55 where X can be 1, 2, 3 or 5 and 647 X40 55 where X can be 1, 2, 3, 4 or 5.

Siren element contin/altern., Cat. Nos. 645 X70 75 where X can be 7 or 8.

Siren element contin/altern., Cat. No. 645 102 75

Siren element 8-tone., Cat. Nos. 645 X90 75 or 645 X90 60 where X can be 7 or 8

IO Link Element, Cat. No. 646 840 55; 646 440 55; 616 840 55

Terminal Element M12 5-pol, Cat. No. 640 816 00



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

